

B4: Portions of this document are withheld due to copyright laws.

Patterns of snus and cigarette use: a study of Norwegian men followed from age 16 to 19

Liv Grøtvedt,¹ Lisa Forsén,^{2,3} Knut Stavem,^{4,5,6} Sidsel Graff-Iversen^{2,7}

¹Department of Health Statistics, Norwegian Institute of Public Health, Oslo, Norway

²Department of Chronic Diseases, Norwegian Institute of Public Health, Oslo, Norway

³National Competence Centre of Women Health, Oslo University Hospital, Oslo, Norway

⁴Department of Pulmonary Medicine, Medical Division, Akershus University Hospital, Lørenskog, Norway

⁵Helse Sør Øst Health Services Research Centre, Akershus University Hospital, Lørenskog, Norway

⁶Institute of Clinical Medicine, University of Oslo, Oslo, Norway

⁷Department of Community Medicine, University of Tromsø, Tromsø, Norway

Correspondence to

Liv Grøtvedt, Department of Health Statistics, Norwegian Institute of Public Health, P.O. Box 4404 Nydalen, NO 0403 Oslo, Norway; liv.grotvedt@fhi.no

Received 26 July 2011

Accepted 7 May 2012

Published Online First
26 May 2012

(b) (4)